




China 6205 Bearing Supplier



HK1512 Bearing 2D drawings and 3D CAD models

SKF NTN Snr Koyo NSK HK1512 HK1514
 HK1515 HK1516 HK1522 HK15*22*12 HK1612
 HK1614 HK1616 HK1622 HK1712 HK1714
 HK1716 HK1718 HK17*25*14 Needle Roller
 Bearing

Bearing No. HK1512

Size	15x21x12 mm
Bore Diameter	15 mm
Outer Diameter	21 mm
Width	12 mm
Fw	15 mm
D	21 mm
C	12 mm
r5 min.	1 mm
Weight	0.012 Kg
Basic dynamic load rating (C)	7.49 kN
Basic static load rating (C0)	9.11 kN
(Grease) Lubrication Speed	14000 r/min
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.01
EAN	0060579020807
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring



China 6205 Bearing Supplier

Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Metric
Relubricatable	No
Thrust Bearing	No
Long Description	15MM Bore; 21MM Outside Diameter; 12MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; N
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	HK1512
Weight / LBS	0.026
Outside Diameter	0.827 Inch 21 Millimeter
Width	0.472 Inch 12 Millimeter
Bore	0.591 Inch 15 Millimeter
Bearing No.	HK1512
C3(min)	\
rs(min)	1



China 6205 Bearing Supplier

Cr	7.49
C0r	9.11
Cu	1.40
Grease lub.	14000
Oil lub.	21000
(Refer.)Mass(kg)	0.012
Mounting inner ring	JR12x15x12,5